

TECHNICAL RIDER



SHOW DESCRIPTION

Ghost Light – Between Fall and Flight is a 60-minute contemporary circus show featuring a circus artist duo as they perform on their teeterboard. The streamlined set, composed of a cyclorama on which to display the projections and a protective mat, showcases the relationship between the artists as they work their magic on this unique teeterboard that has been specially modified to swivel full circle at 360°. The soundtrack is developed based on sounds, captured live by microphones positioned on the board and worked up as an original composition. The tour team is composed of 2 circus artist performers, 1 musician/soundperson and 2 technicians/support staff (see details on p. 8).

MACHINE DE CIRQUE (hereinafter “the Company”) CONTACTS

Distribution:	Claire Thomas/Emilie Fournier +1-833-624-7783 Ext. 702 (Canadian number) diffusion@machinedecirque.com
Logistics:	David Martel +1-833-624-7783 Ext. 704 (Canadian number) david.m@machinedecirque.com
Technical director and lighting:	Gabrielle Berubé Forest +33 06 76 21 61 00 (French number and WhatsApp) berubeforestg@hotmail.com
Sound:	Jérôme Guillaume +1-514-961-5926 (Canadian number) jerome.guillaume@gmail.com

This technical rider lists all of the technical requirements for optimal presentation of the "*Ghost Light – Between Fall and Flight*" show.

If the venue considered for the show does not meet all of the technical requirements listed in this document, the Organizer is asked to contact the Company to discuss any adaptations that may be possible.

STAGE	4
STAGE DIMENSIONS	4
MINIMUM PROSCENIUM ARCH DIMENSIONS	4
STAGE CURTAINS AND DRAPES	4
FLOOR	4
AUDIENCE SEATING	5
CONSOLE	5
THEATRES.....	5
ARENAS AND OUTDOOR SHOWS.....	5
HEATING AND VENTILATION	5
CLEANING	5
WINGS AND BACKSTAGE AREA	6
COSTUMES	6
SOUND	6
INTERCOM	6
LIGHTING	7
MACHINERY	7
TOUR STAFF TEAM	8
TRANSPORTATION OF EQUIPMENT	8
ACCESS FOR THE TRUCK.....	8
UNLOADING	8
ELEVATOR.....	8
PARKING	8
SCHEDULING AND LOCAL STAFFING REQUIREMENTS	9
PREPARATION (<u>BEFORE</u> THE COMPANY’S ARRIVAL)	9
SETUP	9
<i>Machinist and flyperson at the show</i>	10
<i>Warm-up</i>	10
<i>Stage manager</i>	10
<i>Wardrobe attendant</i>	10
TEARDOWN.....	10
SHOW LENGTH	10
SAMPLE SCHEDULES	10
DRESSING ROOMS	12
CATERING	12
ACCOMMODATIONS AND MEALS	12
SIGNATURE	13

STAGE

Minimum Stage dimensions

- Width: 10 m (33') (plus 2 m (6'7") of wings on both sides)
- Depth: 10 m (33') from the proscenium arch to the backdrop, with a 2 m (6'7") proscenium, stage depth of 9 m (30')
If less, contact the Company, adaptation is possible.
- Height: 6 m (20') under the battens and clear of any obstacles
If less, contact the Company, adaptation is possible.

Note: the mat under the teeterboard measures 7.6 m (25') in diameter.

Minimum proscenium arch dimensions

- Width: 8 m (26')
- Height clearance: 6 m (20') clear of any obstacles

*Contact the Company if the stage is smaller or the height is lower.
It may be possible to adapt the show in certain cases.*

STAGE CURTAINS AND DRAPES

- Black proscenium curtains and drapes including:
- A white cyclorama – *provided by the Company*
 - Legs and borders in accordance with the lighting plan

FLOOR

The stage floor **MUST BE PERFECTLY EVEN** (with no visible seams), solid, and have no rake across the entire surface.¹ If the floor is slightly irregular, use black dance flooring (Marley PVC) to level it out.

The floor must have a work load of 512.7 kg/m² (5,000 N/m²) where the base of the teeterboard rests. A minimum safety factor of 1.2 for the floor breaking load (min. breaking load = 615.2 kg/m² at this location) is required. In comparison, the required work load roughly corresponds to *National Building Code of Canada* requirements for an office or warehouse floor.

If you can use a lift truck on the stage, it is solid enough for the Company's purposes. If this is not the case, some reinforcement may be required where the teeterboard's base will rest.

The floor must be a hard surface (wood, linoleum or other similar material). The entire stage, including the wings, crossover and backstage areas must be clean and clear of any obstacles. A storage space of approximately 6 m (20') x 3 m (10') is required for the road cases. Under carpet wiring channels are required to cover ground wiring.

¹ Contact the Company if the stage has a slight rake (proscenium-style). In certain cases, the show can be presented on this type of stage, but this significantly increases setup and rehearsal times.

AUDIENCE SEATING

Facing the stage (proscenium-style)²

CONSOLE

Theatres

The console must be located in the room. There must not be any glass or other screens between the console and the stage. A full, unobstructed view of the stage from the console is essential to the smooth running of the show.

Arenas and outdoor shows

The console must be centred with the stage so as to provide a good overall view of the entire stage area. It must be installed on a platform of the following dimensions:

Height: 1 m (3')

Width: 4.9 m (16')

Depth: 2.4 m (8')

The console must be located at a distance of approximately 23 m to 30 m (75' to 100') from the stage.

This area must be protected by a safety barrier and an on-duty security guard at all times.

HEATING AND VENTILATION

Heating and ventilation must be adjustable at the request of the Company. A temperature of 20°C (68°F) must be maintained on stage both before and during the performances. If the Organizer cannot control the temperature and it is too extreme, the show may be modified by the Company for health and safety reasons.

CLEANING

The performers require a totally clean space in which to work. The performance area must be cleaned and dried one hour ahead of call time before each show. The surrounding areas, namely the first row at stage level (if applicable), wings, crossover, backstage and dressing rooms, must also be clean. Large garbage cans must be located on both sides of the stage and emptied as required.

² Contact the Company if your stage is not proscenium-style. In some cases, the show can be adapted for other audience seating layouts.

WINGS AND BACKSTAGE AREA

The Organizer will provide:

- A potable water cooler or a source of potable water must be available in the wings and backstage areas during the shows.
- Bathrooms (at least two) must be accessible from the wings and backstage during the shows.
- A table stage left and a table stage right must be set up for the accessories.
- A box of facial tissues must be placed on each accessory table.

COSTUMES

The Organizer will provide:

- A wardrobe attendant to wash and dry the Company's costumes and make any necessary repairs. Costumes must be machine washed, air dried and ironed upon the Company's arrival and between shows. They must also be dry upon the Company's departure.

SOUND

The Organizer will provide:

- A professional sound system powerful enough to cover the entire room (Line Array-type or other similar sound system approved by the Company). The system must be stereo, with separate bass cabinets, and capable of delivering 110 dB of distortion-free front-of-house sound pressure level.
- A digital mixer with 16 inputs/14 outputs
- A stage monitor (foldback) system (2 monitors and 2 tripods)
- 2 PCC-160 or SM-91 surface-mounted microphones
- 1 wired SM58 at the console
- 1 analog line from the stage to the sound mixer
- A good quantity of XLR cables of various lengths
- 10 X ¼ inch TRS to XLR male cables (2 m long each)
- 1 XLR female to ¼ inch TRS cable

The Company will provide:

- 1 laptop
- 1 sound card and MIDI controllers
- 5 powered speaker cabinets for multichannel audio (7.1)
- 5 tripods for powered speaker cabinets
- 1 wireless microphone

INTERCOM

The Organizer will provide:

An intercom system that includes 4 audio headsets is required to ensure fluid communication between the stage, the console and the users. The stage headset must be wireless.

LIGHTING

(see Appendices A to I)³

Lights must be hung before the Company's arrival. The equipment must be 100% functional and ready for focus at ground level upon arrival of the Company's team.

The Organizer will provide:

- 9x ETC Profile Source 4 36 degrees 750W (or equivalent)
- 6x ETC Profile Source 4 26 degrees 750W (or equivalent)
- 1x ETC Profile Source 4 Zoom 25/50 750W (or equivalent)
- 4x ETC Profile Source 4 Zoom 15/32 750W (or equivalent)
- 26 x Fresnels 1kW
- 1 x Fresnels 2kW
- 5 x PAR64 CP61
- 11 x PAR64 CP62
- 18 x Cyc lights 1kW (LED option possible)
- 1 x MDG Atmosphere haze machine
- 4 x 2.5 m ladders
- 4 x floor plates
- 83 x dimmers
- 7 x direct circuits
- Gel sheets (the list is provided with the lighting plan)

The Company will provide:

- 4 x Clay Paky Alpha Profile 1200 + cables
 - Schuko + DMX cables
 - Opto Splitter
 - Ghostlight (#93)
 - Valet (#96)
 - Rolling plate pour Shadows (#94)
 - 1 x GrandMA2 Command Wing Console
- } Filament bulbs each requiring a dimmer (see plan)

MACHINERY

The Organizer must provide the machinery required to focus the lighting (must reach the battens at 9 m/29'5") and set up the equipment that must be mounted high off the ground.

All machinery must be available and operational throughout the event (setup, show, teardown).

³ The lighting plan and the required equipment are subject to adjustments according to availability. Substitutes are possible, please contact the Company to discuss the various options.

TOUR STAFF TEAM

The Company's tour staff team is composed of:

- 2 performers
- 1 sound technician
- 1 technical director/lighting technician
- 1 tour director or 1 machinist (on occasion, based on tour schedule requirements)

The number of technicians provided by the Company may vary based on the event and must be confirmed on a case-by-case basis.

TRANSPORTATION OF EQUIPMENT

Access for the truck

The venue loading dock must be cleared of any obstacles and fully accessible by the truck. Should there be any traffic-related restrictions that would prevent the truck from accessing the venue, the Organizer will undertake the necessary steps to obtain access authorization.

Unloading

The unloading area must be at least 2 m (6'6") wide and 2 m (6'6") high. If there are any stairs, access ramps will have to be installed. Contact the Company if in doubt.

Elevator

In the event that the venue is accessed by an elevator, the size of the elevator must be capable of containing a road case measuring at least 335 cm (11') by 100 cm (3'3"). If the elevator is too small, alternative access will be required.

PARKING

The Organizer must provide 2 parking spaces free of charge near the venue for the Company's vehicles:

- one parking space for the team's vehicle (1 minivan);
- one parking space for a cube truck (approximately 20 feet or a 35-m³ straight-body truck) for the equipment.

SCHEDULING AND LOCAL STAFFING REQUIREMENTS

(See *Sample Schedule* - page 11)

The show is designed so that set and equipment setup and teardown can be carried out on the day of the show if the lights are hung on the previous day. Setup time is approximately 8 hours and teardown is approximately 2 hours.

Please note that two shows cannot be presented on the same day.

A detailed schedule will be provided to the Organizer at least 14 days before the first show. The Organizer must approve the schedule submitted by the Company and confirm the labour that will be provided at least 7 days before the first show.

It is essential that the technical staff provided by the Organizer be qualified and competent. They must also be punctual; otherwise the Company cannot guarantee that the first show will start on time.

Preparation (BEFORE the Company's arrival)

In order to be able to put on a show on the day of the Company's arrival, the following preparations must have been completed by the Organizer.

Lighting⁴

Lights must be hung before the Company's arrival at the venue, in strict compliance with the lighting plan presented in Appendices A to I.

The equipment must be 100% functional and ready for focus at ground level upon arrival of the team. The goal is to perform a pre-adjustment before the sets are installed.

The Organizer may use the number of technicians deemed necessary to complete preparations before the Company's arrival. However, the Organizer must comply with the Company's specifications listed below regarding personnel required during setup, teardown and shows.

Setup

The Organizer agrees to provide the technical team with at least 7 experienced and multi-skilled technicians (**NO VOLUNTEERS**) to set up the lighting and sound equipment as well as the sets starting at 8:00 a.m. and for at least 8 hours.

⁴ Contact the Company if the lights cannot be hung prior to the Company's arrival.

Show day

Machinist and flyperson at the show

The Organizer agrees to provide a machinist and flyperson who are very familiar with the venue and house equipment for the wiring and the performances. For multiple shows, the Organizer will ensure that the same two people will be assigned to all of the shows.

The machinist will have specific tasks to perform during the show. A rehearsal is therefore to be scheduled with the Company's tour team before the warm-up.

Warm-up

The artists warm up on stage.

Stage manager

The Organizer will provide a stage manager who is very familiar with the venue and house equipment: 3 hours before the show and 1 hour after the show.

Wardrobe attendant

The wardrobe attendant provided by the Organizer must respect the following schedule:

- First show:
Arrive at the same time as the artists for the setup (2 hours) and stay after the show (2 hours).
- Subsequent shows:
Arrive after the show (for 2 hours).

Teardown

The Organizer will provide 8 technicians for teardown and truck loading (approximately 2 hours). The stage must be free of any obstacles that could hinder teardown. Also, the 8 technicians in the Organizer's technical team must be fully dedicated to tearing down the Company's equipment.

Show length

Approximately 60 minutes with no intermission.

Teardown begins 15 minutes after the end of the last show.

Sample schedules

- 8:00 p.m. show WITH setup and teardown the same day, refer to page 11.
- 8:00 p.m. show WITHOUT setup and teardown, refer to page 11.

SAMPLE SCHEDULE – GHOST LIGHT

		Local Team					Company Team				
		LX	SOUND	MACHINIST	FLYPERSON	COSTUME	LX	SOUND	ARTISTS		
D-1		Light and sound pre-installation	At the Organizer' discretion								
		Lights must be hung, functional and ready to be focused, and hooked up to the house lighting console upon the Company's arrival									
D - Day	8 a.m - 12 p.m.	Installation LX/SOUND/Company cyclorama	3	1	2	1	1	1	1	2	
		Start focus									
		Sound check									
		Install accessories									
		Clean costumes									
	12 p.m. - 1 p.m.	MEAL									
	1 p.m. - 5 p.m.	End focus - SOUND volumes	3	1	1	1		1	1	2	
		Wiring									
	5 p.m. - 6 p.m.	MEAL									
	6 p.m. - 7:30 p.m.	Warm-up - installation	1	1	1	1		1	1	2	
7:30 p.m.	Audience entrance										
8 p.m.	Show										
9 p.m.	End of show						1				
9 p.m. - 11 p.m.	Company equipment teardown	3	1	2				1	1	2	
2nd show	The stage must be washed and dry 1 hour before the artists arrive.										
	6 p.m. - 7:30 p.m.	Warm-up - installation	1	1	1	1		1	1	2	
	7:30 p.m.	Audience entrance									
	8 p.m.	Show									
9 p.m.	End of show						1				

Please provide qualified and experienced technicians.
Machine de Cirque and the entire team thank you.

DRESSING ROOMS

The Organizer will provide a large 5-person capacity dressing room (or rooms). The dressing room must be equipped with mirrors and adequate lighting for makeup and include wash cloths and chairs. A minimum room temperature of 20°C (68°F) must be maintained at all times. Access to the stage, bathrooms and showers from the dressing room must be quick and easy.

Also required are wireless Internet access (Wi-Fi), bags of ice, a microwave oven and a first aid kit. The Organizer will also provide the contact information of a good massage therapist and physiotherapist/osteopath.

CATERING

The Organizer will provide the following items for 5 people:

- Milk
- Real fruit juice
- Assorted fresh fruits and vegetables (crudités)
- Two “baguette”-style bread loaves
- Cold cuts (local varieties, if available)
- Cheeses (local varieties, if available)
- Yogurt (assorted)
- “Healthy” granola bars
- Nuts (no peanuts)
- Dried fruit
- Dark and milk chocolate bars (peanut-free)
- Soft drinks
- Coffee
- Tea
- Beers after the show (local varieties, if available)

Items must be refrigerated, as required.

Catering must be made available to the Company's team in the dressing room.

All catering items must be ready upon arrival of the Company's technical team at the venue and available during setup and teardown, as well as during rehearsals and shows.

ACCOMMODATIONS AND MEALS

The "Rooming List," which also includes the list of allergies and dietary requirements of the Company's team, is sent to the Organizer one month before the first show.

The Organizer must provide a list of restaurants near the venue and/or accommodations that are open in the afternoon and/or evening for meals between or after shows.

SIGNATURE

In the event that the Organizer considers any of the clauses herein to be problematic, the Organizer must contact the Company's technical director without delay (and before signing the technical rider) to discuss the Organizer's particular situation.

The Organizer agrees to send a complete list of the sound and lighting equipment that will be made available to the Company and its technical team, and to send a technical drawing of the venue in WYSIWYG (.wyg) or Autocad (.dwg) format by email to:

- diffusion@machinedecirque.com
- berubeforestg@hotmail.com

no later than 30 days before the date of the first show.

The Company's technical director must approve the technical rider of the venue provided by the Organizer so as to ensure the smooth running of the show(s). The Organizer agrees to fulfill all of the Company's technical requirements (as described herein) and, if applicable, cover the costs incurred to rent, lease or purchase any equipment required to fulfill these requirements.

This document is an integral part of the contract entered into between the Company and the Organizer. Failure to abide by this technical rider in any way or form would constitute a breach of contract and compromise the Company's ability to perform on stage.

This technical rider must be signed and returned by email to diffusion@machinedecirque.com.

Read, understood and approved by (name in uppercase letters): _____

Organizer/Name of venue: _____

Signature:

Date: _____